



GUMITÉGLA KFT
GUMITÉGLA ARRABONA KFT

HU-2081 PILISSZENTIVÁN TÓPART UTCA 1550.
HU-9027 GYŐR BUDAI ÚT 8.

www.gumiteglakft.hu

info@gumiteglakft.hu gumitegla@gmail.com please send email for prices!

Mobil: 0036308631338

SAFETY RUBBER TILES, RUBBER SHEETS

The rubber surfacing products are manufactured by our company from recycled tire rubber granulate using environmentally sound technology, and they are suitable for external and internal applications.

... the best thing that can happen to car tires ...

Our products meet the impact absorbing requirements of EN 1177 standard, and have TÜV certification. The impact absorbing property of rubber surfacing prevents knee and joint diseases due to intensive exercises, which is supported by medical opinion.

Main features of rubber sheets:

- 100x100 cm size, and 20 – 80 mm thickness
- flexible, slip-proof, self supporting, strong
- let water through, slip-proof in case of rain or ice
- do-it-yourself, simple installation, easy to re-lay in another place
- follows the surface, suitable for covering various surfaces
- easy-to-cut (with saw, knife, jigsaw)
- require no maintenance, easy to clean, paintable
- no need for connection elements or curbing
- keeps its shape, no warping
- environmentally friendly, certified product

APPLICATION POSSIBILITIES:

External:

- playgrounds,
- school/day nursery yards,
- stables, riding-schools, training grounds,
- multifunctional sports grounds,
- foundations for synthetic grass courts
- foot tennis courts,
- surfacing around swimming pools,
- bike routes, - jogging routes.

Internal:


- play houses
- foundation of sports floors,
- soundproofing of sport shooting halls,
- swimming pools, fitness rooms
- factory's floor

The flexible rubber sheets (1m x 1m size), manufactured by Gumitégla Kft, are quality, simple to install, non-warping products at best price.

SAFETY RUBBER SHEETS

Recommended for:

- playgrounds
- school or day nursery yards,
- every place, where impact absorbing is important



SAFETY RUBBER SHEET	Code No.	Thickness	Size	Weight	Head Injury Criteria
		(mm)	(cm)	(kg/m ²)	MSZ EN 1177
	GU-30	30	100x100	20,5	100
GU-40	40	100x100	23	150	
GU-45	45	100x100	23,5	160	
GU-50	50	100x100	23,8	180	
GU-60	60	100x100	31,5	210	
GU-70	70	100x100	39,5	250	

SPORT – RUBBER FLOORING SHEETS

Recommended for:

- multifunctional sports grounds,
- foundations for synthetic grass courts,
- foot tennis courts,
- around external swimming pools,
- bike routes,
- running and jogging routes.



SPORT RUBBER SHEET	Code No.	Thickness	Size	Weight	Head Injury Criteria
		(mm)	(cm)	(kg/m ²)	HIC
	GS-20	20	100x100	17	-
AS -30	30	100x100	22,8	-	
AS -40	40	100x100	28,6	120	
AS -50	50	100x100	33	150	

RUBBER SHEETS FOR HORSES:

Specially developed for horses, and made from urea-stabile, fibrous rubber granulate, these sheets can withstand heavy duty conditions, protect the horse's legs.

Recommended for:

- stables, riding-schools, training grounds,
- side walls of boxes



HORSE RUBBER SHEET	Code No.	Thickness	Size	Weight	Head Injury Criteria
		(mm)	(cm)	(kg/m ²)	HIC
	GL-20	20	100x100	19	-
	AL -50	50	100x100	33	-

RUBBER CURBING FOR RUBBER SHEETS

Recommended for:

- curbing the impact absorbing surface of playgrounds thereby ensuring proper impact absorption at the curbs
- running and jogging route curbing to prevent bruised injuries
- any place to replace concrete curbs



We recommend curbing be installed in concrete bed.

Code No.	Thickness	Size	Weight
	mm	cm	kg/pcs.
ASZ	40	100x25x4	7,3